



SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266


Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my

GUIDE PIN

Material : 20cr

HRC: 60±2



d		d1		D	H
Size	Tolerance	Size	Tolerance		
12	-0.020	12	+0.015 +0.020	17	5
16	-0.025	16		20	6
20	-0.030	20		25	
25	-0.035	25		30	
30	-0.035	30	+0.020	35	8
35	-0.035	35		40	
40	-0.045	40		+0.025	45
50	-0.045	50		55	12

ORDER CODE	L	d	d12	d16	d20	d25	d30	d35	d40	d50
		50	o	o	o	o	o	o	o	o
60	o	o	o	o	o	o	o	o	o	o
70	o	o	o	o	o	o	o	o	o	o
80	o	o	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o	o	o
110	o	o	o	o	o	o	o	o	o	o
120	o	o	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o	o	o
160	o	o	o	o	o	o	o	o	o	o
170	o	o	o	o	o	o	o	o	o	o
180	o	o	o	o	o	o	o	o	o	o
190	o	o	o	o	o	o	o	o	o	o
200	o	o	o	o	o	o	o	o	o	o
210	o	o	o	o	o	o	o	o	o	o
220	o	o	o	o	o	o	o	o	o	o
230	o	o	o	o	o	o	o	o	o	o
240	o	o	o	o	o	o	o	o	o	o
250	o	o	o	o	o	o	o	o	o	o
260	o	o	o	o	o	o	o	o	o	o
270	o	o	o	o	o	o	o	o	o	o
280	o	o	o	o	o	o	o	o	o	o
290	o	o	o	o	o	o	o	o	o	o
300	o	o	o	o	o	o	o	o	o	o
310	o	o	o	o	o	o	o	o	o	o
320	o	o	o	o	o	o	o	o	o	o
330	o	o	o	o	o	o	o	o	o	o
340	o	o	o	o	o	o	o	o	o	o
350	o	o	o	o	o	o	o	o	o	o
360	o	o	o	o	o	o	o	o	o	o
370	o	o	o	o	o	o	o	o	o	o

GP

Remark:

Custom made is available

Order :- GP 30-500 - QTY



SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my


GUIDE PIN

Material :- 20cr

HRC:- ±260



Sheng Tec



d		d1		D	H
Size	Tolerance	Size	Tolerance		
12	-0.020	12	+0.015	17	5
16	-0.025	16		20	6
20	-0.030	20		25	
25	-0.035	25		30	
30	-0.035	30	+0.020	35	8
35	-0.035	35		40	
40	-0.045	40		+0.020	45
50	-0.045	50	+0.025	55	12

ORDER CODE	L	d			d25	d30	d35	d40	d50
GP		380		o	o	o	o	o	o
		390		o	o	o	o	o	o
		400		o	o	o	o	o	o
		410		o	o	o	o	o	o
		420		o	o	o	o	o	o
		430		o	o	o	o	o	o
		440		o	o	o	o	o	o
		450		o	o	o	o	o	o
		460			o	o	o	o	o
		470			o	o	o	o	o
		480			o	o	o	o	o
		490			o	o	o	o	o
		500			o	o	o	o	o
		510			o	o	o	o	o
		520			o	o	o	o	o
		530			o	o	o	o	o
		540			o	o	o	o	o
		550			o	o	o	o	o
		560			o	o	o	o	o
		570			o	o	o	o	o
		580			o	o	o	o	o
		590			o	o	o	o	o
		600			o	o	o	o	o
		610				o	o	o	o
		620				o	o	o	o
		630				o	o	o	o
		640					o	o	o
		650					o	o	o
	660					o	o	o	
	670					o	o	o	
	680					o	o	o	
	690					o	o	o	
	700					o	o	o	

Order :- GP 30-500 - QTY

Remark:

Custom made is available




SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my



GUIDE BUSH

Material :- 20cr

HRC: 2 ±60



d		d1		D	H
Size	Tolerance	Size	Tolerance		
12	+0.010 +0.020	18	+0.010	22	5
16		25	+0.015	30	6
20		30	+0.02	35	8
25		35	+0.020 +0.025	40	
30		42		47	10
35	48	54			
40	+0.015 +0.025	55	+0.025	60	
50		70	+0.030	75	12

ORDER CODE	L	d	d12	d16	d20	d25	d30	d35	d40	d50
		GB	20	o	o	o	o	o	o	o
	30	o	o	o	o	o	o	o	o	o
	40	o	o	o	o	o	o	o	o	o
	50	o	o	o	o	o	o	o	o	o
	60	o	o	o	o	o	o	o	o	o
	70	o	o	o	o	o	o	o	o	o
	80	o	o	o	o	o	o	o	o	o
	90		o	o	o	o	o	o	o	o
	100		o	o	o	o	o	o	o	o
	110		o	o	o	o	o	o	o	o
	120		o	o	o	o	o	o	o	o
	130		o	o	o	o	o	o	o	o
	140		o	o	o	o	o	o	o	o
	150		o	o	o	o	o	o	o	o
	160			o	o	o	o	o	o	o
	170			o	o	o	o	o	o	o
	180			o	o	o	o	o	o	o
	190			o	o	o	o	o	o	o
	200			o	o	o	o	o	o	o
	210				o	o	o	o	o	o
	220				o	o	o	o	o	o
	230				o	o	o	o	o	o
	240				o	o	o	o	o	o
	250					o	o	o	o	o
	260						o	o	o	o
	270							o	o	o
	280							o	o	o
	290							o	o	o
	300							o	o	o

Order :- GB 30-120 - QTY

Remark:
Custom made is available




SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my



EJECTOR GUIDE PIN

Material :- 20cr

HRC:- 2 \pm 60



ORDER CODE	d	Tolerance	d1	Tolerance	D	H	M
	Size		Size				
EGP	12	-0.020	12	+0.015	17	5	M6x12
	16	-0.025	16		20	6	M8x16
	20	-0.030	20		25		8
	25		25	30			
	30	-0.035	30	35	40	M12x25	
	35	-0.035	35	40			
	40		40	45	10	M16x30	
	50	-0.045	50	55	12		

ORDER CODE	L \ d	d12	d16	d20	d25	d30	d35	d40	d50
EGP	50	o	o	o	o	o	o		
	60	o	o	o	o	o	o		
	70	o	o	o	o	o	o		
	80	o	o	o	o	o	o		
	90	o	o	o	o	o	o		
	100	o	o	o	o	o	o	o	o
	110	o	o	o	o	o	o	o	o
	120	o	o	o	o	o	o	o	o
	130	o	o	o	o	o	o	o	o
	140	o	o	o	o	o	o	o	o
	150	o	o	o	o	o	o	o	o
	160		o	o	o	o	o	o	o
	170		o	o	o	o	o	o	o
	180		o	o	o	o	o	o	o
	190		o	o	o	o	o	o	o
	200		o	o	o	o	o	o	o
	210			o	o	o	o	o	o
	220				o	o	o	o	o
	230				o	o	o	o	o
	240				o	o	o	o	o
250				o	o	o	o	o	
260				o	o	o	o	o	
270				o	o	o	o	o	
280				o	o	o	o	o	
290				o	o	o	o	o	
300				o	o	o	o	o	

Order :- EGP 30-150 - QTY

Remark:
Custom made is available




SUNNY SCORE SDN BHD
 NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my



EJECTOR GUIDE BUSH

Material :- 20cr
 HRC:- $^{\circ}2 \pm 60$



d		d1		D	H
Size	Tolerance	Size	Tolerance		
12	+0.010 +0.020	18	+0.010	22	5
16		25	+0.015	30	6
20		30	+0.020	35	8
25		35	+0.020	40	
30	+0.015 +0.025	42		+0.025	47
35		48	+0.025	54	
40		55		+0.030	60
50		70	75		12

ORDER CODE	d \ L/L1	28/15	30/15	35/20	40/20	50/25	55/30	60/30	65/35
	EGB	12	o	o	o	o			
16		o	o	o	o	o			
20			o	o	o	o	o	o	o
25						o	o	o	o
30						o	o	o	o
35						o	o	o	o
40						o	o	o	o
50						o	o	o	o

Order : - EGB 28/15 - QTY

Remark:
 Custom made is available




SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my



STRAIGHT GUIDE BUSH

Material :- 20cr

HRC:- 2±60



d		d1		M		R
Size	F	Size	Tolerance	L20 <	L20 >	
12	+0.010 +0.020	18	+0.010 +0.015	4	4	2
16		25	+0.015		6	
20		30	+0.020	8	8	5
25		35	+0.020			
30	42	+0.025				
35	+0.015 +0.025	48	+0.025	8	8	5
40		55	+0.025			
50		70	+0.030	10	8	

ORDER CODE	L	d	d12	d16	d20	d25	d30	d35	d40	d50
		GBB	20	o	o	o	o	o	o	o
	30	o	o	o	o	o	o	o	o	o
	40	o	o	o	o	o	o	o	o	o
	50	o	o	o	o	o	o	o	o	o
	60	o	o	o	o	o	o	o	o	o
	70	o	o	o	o	o	o	o	o	o
	80	o	o	o	o	o	o	o	o	o
	90		o	o	o	o	o	o	o	o
	100		o	o	o	o	o	o	o	o
	110		o	o	o	o	o	o	o	o
	120		o	o	o	o	o	o	o	o
	130		o	o	o	o	o	o	o	o
	140		o	o	o	o	o	o	o	o
	150		o	o	o	o	o	o	o	o
	160			o	o	o	o	o	o	o
	170			o	o	o	o	o	o	o
	180			o	o	o	o	o	o	o
	190			o	o	o	o	o	o	o
	200			o	o	o	o	o	o	o
	210				o	o	o	o	o	o
	220				o	o	o	o	o	o
	230				o	o	o	o	o	o
	240				o	o	o	o	o	o
	250					o	o	o	o	o
	260						o	o	o	o
	270						o	o	o	o
	280						o	o	o	o
	290						o	o	o	o
	300						o	o	o	o

Order :- GBB 30-100 - QTY

Remark:
Custom made is available




SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my



SUPPORT PIN

Material :- 20cr

HRC:- 2 ± 60



d		d1		D	H	M	
Size	Tolerance	Size	Tolerance				
16	-0.020 -0.025	16	+0.015 +0.020	20	6	M8x16	
20	-0.030 -0.035	20		25		8	M10x20
25		25		30			
30		30		35			
35	-0.035 -0.045	35	+0.020 +0.025	40	10	M12x25	
40		40		45			
50		50		55			12

ORDER CODE	L \ d								
		d16	d20	d25	d30	d35	d40	d50	
SP	50	o	o	o	o	o			
	60	o	o	o	o	o	o		
	70	o	o	o	o	o	o		
	80	o	o	o	o	o	o	o	
	90	o	o	o	o	o	o	o	
	100	o	o	o	o	o	o	o	
	110	o	o	o	o	o	o	o	
	120	o	o	o	o	o	o	o	
	130	o	o	o	o	o	o	o	
	140	o	o	o	o	o	o	o	
	150	o	o	o	o	o	o	o	
	160	o	o	o	o	o	o	o	
	170	o	o	o	o	o	o	o	
	180	o	o	o	o	o	o	o	
	190	o	o	o	o	o	o	o	
	200	o	o	o	o	o	o	o	
	210		o	o	o	o	o	o	
	220		o	o	o	o	o	o	
	230		o	o	o	o	o	o	
	240		o	o	o	o	o	o	
	250		o	o	o	o	o	o	
260		o	o	o	o	o	o		
270		o	o	o	o	o	o		
280		o	o	o	o	o	o		
290		o	o	o	o	o	o		
300		o	o	o	o	o	o		

Order :- SP 40-300 - QTY

Remark:
Custom made is available




SUNNY SCORE SDN BHD

NO. 774, JALAN TOK KANGAR, JURU, 14100 SIMPANG AMPAT, PULAU PINANG, MALAYSIA.

Tel: 604-508 0166 Fax: 604-508 0266

Email: sunnyscoresb@gmail.com

Website: www.sunnyscore.com / www.sunnyscore.com.my



RETURN PIN

Material :- 20cr

HRC:- 2 ±60



d		D	H
Size	Tolerance		
10	-0.020	15	4 OR 6
12		17	
15~16		20	
20	-0.025	25	8
25		30	
30	-0.035	35	
35	-0.020	40	
40	-0.045	45	

ORDER CODE	L \ d	d10	d12	d16	d20	d25	d30	d35	d40
RP	80	o	o	o	o	o			
	90	o	o	o	o	o			
	100	o	o	o	o	o	o		
	110	o	o	o	o	o	o		
	120	o	o	o	o	o	o		
	130	o	o	o	o	o	o		
	140	o	o	o	o	o	o		
	150	o	o	o	o	o	o	o	o
	160		o	o	o	o	o	o	o
	170		o	o	o	o	o	o	o
	180		o	o	o	o	o	o	o
	190			o	o	o	o	o	o
	200				o	o	o	o	o
	210				o	o	o	o	o
	220				o	o	o	o	o
	230				o	o	o	o	o
	240					o	o	o	o
	250					o	o	o	o
	260					o	o	o	o
	270					o	o	o	o
280					o	o	o	o	
290					o	o	o	o	
300					o	o	o	o	
310						o	o	o	
320						o	o	o	
330						o	o	o	
340						o	o	o	
350						o	o	o	

Order :- RP 30-160 - QTY

Remark:
Custom made is available