




SUNNY SCORE SDN BHD 411317-M
 NO 774 JALAN TOK KANGAR JURU 14100 SIMPANG AMPAT PENANG
 TEL:- 604-508 0166 FAX:- 604-508 0266
 E-MAIL: sunnyscoresb@gmail.com
 WEBSITE:- www.sunnyscore.com / www.sunnyscore.com.my

"ST" CARBIDE BURR

Legend:



编号说明: 例:A1225X06-45

NO.NOTE: Example:A1225X06-45

A **12** **25** **X** **06** **-45**
 外型代号 刃径 刃长 齿形 柄径 柄长
 Shape Code Cut Dia Cut Length Tooth Type Shank Dia Shank Length

SHAPE & TYPE	ICON	ORDER NO	SIZE				
			CUT DIA	CUTTING LENGTH	SHANK	TOTAL LENGTH	TOOTH
CYLINDER TYPE TYPE A		A0313X03-25	3	13	3	38	X
		A0413X03-38	4	13	3	51	X
		A0613X03-38	6	13	3	51	X
		A0616X06-45	6	16	6	61	X
		A0820X06-45	8	20	6	65	X
		A1020X06-45	10	20	6	65	X
		A1225X06-45	12	25	6	70	X
		A1425X06-45	14	25	6	70	X
		A1625X06-45	16	25	6	70	X
		A2025X06-45	20	25	6	70	X
		A2525X06-45	25	25	6	70	X
CYLINDER SHARP WITH END CUT TYPE B		B0313X03-25	3	13	3	38	X
		B0413X03-38	4	13	3	51	X
		B0613X03-38	6	13	3	51	X
		B0616X06-45	6	16	6	61	X
		B0820X06-45	8	20	6	65	X
		B1020X06-45	10	20	6	65	X
		B1225X06-45	12	25	6	70	X
		B1425X06-45	14	25	6	70	X
		B1625X06-45	16	25	6	70	X
		B2025X06-45	20	25	6	70	X
		B2525X06-45	25	25	6	70	X
CYLINDER SHAPE WITH RADIUS END TYPE C		C0313X03-25	3	13	3	38	X
		C0413X03-38	4	13	3	51	X
		C0613X03-38	6	13	3	51	X
		C0616X06-45	6	16	6	61	X
		C0820X06-45	8	20	6	65	X
		C1020X06-45	10	20	6	65	X
		C1225X06-45	12	25	6	70	X
		C1425X06-45	14	25	6	70	X
		C1625X06-45	16	25	6	70	X
		C2025X06-45	20	25	6	70	X
		C2525X06-45	25	25	6	70	X



SUNNY SCORE SDN BHD 411317-M
 NO 774 JALAN TOK KANGAR JURU 14100 SIMPANG AMPAT PENANG
 TEL:- 604-508 0166 FAX:- 604-508 0266
 E-MAIL: sunnyscoresb@gmail.com
 WEBSITE:- www.sunnyscore.com / www.sunnyscore.com.my

"ST" CARBIDE BURR

SHAPE & TYPE	ICON	ORDER NO	SIZE				
			CUT DIA	CUTTING LENGTH	SHANK	TOTAL LENGTH	TOOTH
BALL SHAPE TYPE D		D0303X03-35	3	3	3	38	X
		D0403X03-38	4	3	3	41	X
		D0605X03-38	6	5	3	43	X
		D0605X06-45	6	5	6	50	X
		D0807X06-45	8	7	6	52	X
		D1009X06-45	10	9	6	54	X
		D1210X06-45	12	10	6	55	X
		D1412X06-45	14	12	6	57	X
		D1614X06-45	16	14	6	59	X
		D2018X06-45	20	18	6	63	X
		D2521X06-45	25	21	6	66	X
OVAL SHAPE TYPE E		E0307X03-31	3	7	3	38	X
		E0407X03-38	4	7	3	45	X
		E0610X03-38	6	10	3	48	X
		E0610X06-45	6	10	6	55	X
		E0813X06-45	8	13	6	58	X
		E1016X06-45	10	16	6	61	X
		E1220X06-45	12	20	6	65	X
		E1422X06-45	14	22	6	67	X
		E1625X06-45	16	25	6	70	X
		E2025X06-45	20	25	6	70	X
TREE SHAPE WITH RADIUS END TYPE F		F0313X03-25	3	13	3	38	X
		F0413X03-38	4	13	3	51	X
		F0613X03-38	6	13	3	51	X
		F0618X06-45	6	18	6	63	X
		F0820X06-45	8	20	6	65	X
		F1020X06-45	10	20	6	65	X
		F1225X06-45	12	25	6	70	X
		F1425X06-45	14	25	6	70	X
		F1625X06-45	16	25	6	70	X
		F2032X06-45	20	32	6	77	X
		F2232X06-45	22	32	6	77	X
TREE SHAPE WITH POINTED END TYPE G		G0313X03-25	3	13	3	38	X
		G0413X03-38	4	13	3	51	X
		G0613X03-38	6	13	3	51	X
		G0618X06-45	6	18	6	63	X
		G0820X06-45	8	20	6	65	X
		G1020X06-45	10	20	6	65	X
		G1225X06-45	12	25	6	70	X
		G1425X06-45	14	25	6	70	X
		G1625X06-45	16	25	6	70	X
		G1825X06-45	18	25	6	70	X
G1925X06-45	19	25	6	70	X		



SUNNY SCORE SDN BHD

NO 774 JALAN TOK KANGAR JURU 14100 SIMPANG AMPAT PENANG

TEL:- 604-508 0166 FAX:- 604-508 0266

E-MAIL: sunnyscoresb@gmail.com

WEBSITE:- www.sunnyscore.com / www.sunnyscore.com.my

"ST" CARBIDE BURR

SHAPE & TYPE	ICON	ORDER NO	SIZE				
			CUT DIA	CUTTING LENGTH	SHANK	TOTAL LENGTH	TOOTH
FLAME SHAPE TYPE H		H0307X03-31	3	13	3	38	X
		H0413X03-38	4	13	3	51	X
		H0613X03-38	6	13	3	51	X
		H0618X06-45	6	18	6	63	X
		H0820X06-45	8	20	6	65	X
		H1025X06-45	10	25	6	70	X
		H1232X06-45	12	32	6	77	X
		H1636X06-45	16	36	6	81	X
H1941X06-45	19	41	6	86	X		
60° CONE SHAPE TYPE J		J0605M06-45	6	5	6	50	X
		J0806M06-45	8	6	6	51	X
		J1008X06-45	10	8	6	56	X
		J1213X06-45	12	13	6	58	X
		J1618X06-45	16	18	6	63	X
		J1920X06-45	19	20	6	65	X
		J2525X06-45	25	25	6	70	X
90° CONE SHAPE TYPE K		K0605M06-45	6	5	6	50	X
		K0807M06-45	8	7	6	52	X
		K1008X06-45	10	8	6	53	X
		K1209X06-45	12	9	6	54	X
		K1612X06-45	16	12	6	57	X
		K1913X06-45	19	13	6	58	X
		K2516X06-45	25	16	6	61	X
K3522X06-45	35	22	6	67	X		
TAPER SHAPE WITH RADIUS TYPR L		L0313X03-25	3	13	3	38	X
		L0413X03-38	4	13	3	51	X
		L0613X03-38	6	13	3	51	X
		L0616X06-45	6	16	6	61	X
		L0822X06-45	8	22	6	67	X
		L1025X06-45	10	25	6	70	X
		L1228X06-45	12	28	6	73	X
		L1428X06-45	14	28	6	73	X
		L1633X06-45	16	33	6	78	X
		L2031X06-45	20	31	6	76	X
TAPER SHAPE WITH POINTED END TYPE M		M0313X03-25	3	13	3	38	X
		M0413X03-38	4	13	3	51	X
		M0613X03-38	6	13	3	51	X
		M0618X06-45	6	18	6	63	X
		M0820X06-45	8	20	6	65	X
		M1020X06-45	10	20	6	65	X
		M1225X06-45	12	25	6	70	X
		M1425X06-45	14	25	6	70	X
		M1625X06-45	16	25	6	70	X
		M1925X06-45	19	25	6	70	X



SUNNY SCORE SDN BHD

NO 774 JALAN TOK KANGAR JURU 14100 SIMPANG AMPAT PENANG

TEL:- 604-508 0166 FAX:- 604-508 0266

E-MAIL: sunnyscoresb@gmail.com


WEBSITE:- www.sunnyscore.com / www.sunnyscore.com.my

"ST" CARBIDE BURR

SHAPE & TYPE	ICON	ORDER NO	SIZE				
			CUT DIA	CUTTING LENGTH	SHANK	TOTAL LENGTH	TOOTH
INVERTED CONE SHAPE TYPE N		N0305X03-33	3	5	3	38	X
		N0406X03-38	4	6	3	44	X
		N0607X03-38	6	7	3	45	X
		N0607X06-45	6	7	6	52	X
		N0809X06-45	8	9	6	54	X
		N1011X06-45	10	11	6	56	X
		N1213X06-45	12	13	6	58	X
N1616X06-45	16	16	6	61	X		

标准切齿 Standard Cut M		旋转锉齿形细密，加工出的表面光洁度好，适合加工硬度HRC40-60度的加硬钢，耐热合金、镍基合金、钴基合金、不锈钢等。 The carbide rotary burrs serrated shape is fine, and the surface finish is good. It is suitable for processing hardened steel with hardness HRC40-60 degrees, heat resistant alloy, nickel base alloy, Cobalt based alloy, stainless steel, etc.
双切齿 Double Cut X		旋转锉具有切屑短，加工出的表面光洁度高，适合于加工铸铁、铸钢、硬度小于HRC60的钢件、镍基合金、钴基合金、奥氏体不锈钢、钛合金等。 The carbide rotary burrs has short chip and high surface finish. It is suitable for processing cast iron, cast steel, steel with hardness less than HRC60, nickel-based alloy, cobalt-based alloy, austenitic stainless steel, titanium alloy, etc.
铝齿 Aluma Cut W		旋转锉具有极大的容屑槽，非常锋利的刃口，排屑快速；适合加工铝、铝合金、轻金属、有色金属、塑料、硬橡胶、木材等。 The carbide rotary burrs has a large chip pocket, a very sharp cutting edge and fast chip removal; it is suitable for processing aluminum, aluminum alloy, light metal, non-ferrous metal, plastic, hard rubber, wood and so on.

Usage Scenario



- 1 Mixing Device
- 2 Pressure Sintering Furnace
- 3 Testing Lab
- 4 Fully Automatic Five-axis CNC Grinding Machine
- 5 Usage Scenario